

  
**ecopostural**




**ecopostural**  
**C3569**

# ecopostural C3569

## Data

- 3 sections blood collection chair (5 parts).
- Standard dimensions: 62x182 cm (M41).
- Height variation: 58-87 cm.
- Steel frame with white epoxy powder coating heated at 250°.
- Curved wheel housing to avoid stumbling made of high-resistance polypropylene.
- Retractable castors with foot lever. These castor wheels are valid to move the table around when required (during the maintenance...) but can NOT be used for transporting patients.
- Electric height adjustment with motor controlled by foot pedal.
- Adjustable couch sections.
- Neck cushion included as standard (A4434).
- Swivel arm support, adjustable in height and removable.
- Plastic leg protection included (A4458).
- Standard padding: polyurethane foam thickness of 5cm and firmness rating II-Soft.
- Fire-resistant Class M2 artificial leather, EC compliant, available in various colours.
- Sanitized® anti-microbial and antibacterial protection.
- Composition 87,5 % PVC - 12,5 % Cotton. Average Thickness : 1,10 mm.
- Weight: 62 kg approx Maximum weight capacity of 135Kg.
- PRODUCT CE.



**ecopostural**  
mobilier pour la santé.

Avenida Enrique Gimeno, nº 27,  
C.P. 12006, Castellón (España)

Tel (34) 964 503 021  
Fax (34) 964 503 410  
www.ecopostural.com  
info@ecopostural.com

EXCLUSIVE AGENT

**Cure Group**  
Paving Customer Care  
www.curegroup.net

  
**ecopostural**




**ecopostural**  
**C4369**

ecopostural

# C4369

## Data

- 3 sections blood collection chair (5 parts).
- Standard dimensions: 62x182 cm (M41).
- Fixed height 60cm.
- Steel frame with white epoxy powder coating heated at 250°.
- Equipped with 4 levellers.
- Neck cushion included as standard (A4434).
- Swivel arm support, adjustable in height and removable.
- Plastic leg protection included (A4458).
- Standard padding: polyurethane foam thickness of 5cm and firmness rating II-Soft.
- Fire-resistant Class M2 artificial leather, EC compliant, available in various colours.
- Sanitized® anti-microbial and antibacterial protection.
- Composition 87,5 % PVC - 12,5 % Cotton. Average Thickness : 1,10 mm.
- Weight: 46 kg approx Maximum weight capacity of 135Kg.
- PRODUCT CE



  
**ecopostural**  
mobilier pour la santé.

Avenida Enrique Gimeno, nº 27,  
C.P. 12006, Castellón (España)

Tel (34) 964 503 021  
Fax (34) 964 503 410  
[www.ecopostural.com](http://www.ecopostural.com)  
[info@ecopostural.com](mailto:info@ecopostural.com)

  
**ecopostural**




**ecopostural**  
**C3769**

# ecopostural C3769

## Data

- 3 sections blood collection chair (5 parts).
- Standard dimensions: 62x182 cm (M41).
- Height variation: 58-87 cm.
- Steel frame with white epoxy powder coating heated at 250°.
- Curved wheel housing to avoid stumbling made of high-resistance polypropylene.
- Retractable castors with foot lever. These castor wheels are valid to move the table around when required (during the maintenance...) but can NOT be used for transporting patients.
- Hydraulic height adjustment operated by foot pump.
- Neck cushion included as standard (A4434).
- Swivel arm support, adjustable in height & removable.
- Plastic leg protection included (A4458).
- Standard padding: polyurethane foam thickness of 5 cm. and firmness rating II-Soft.
- Fire-resistant Class M2 artificial leather, EC compliant, available in various colours Sanitized® anti-microbial and antibacterial protection.
- Composition 87,5 % PVC - 12,5 % Cotton.
- Average Thickness : 1,10 mm.
- Weight: 67 kg approx.
- Maximum weight capacity of 135Kg.
- PRODUCT CE.



  
**ecopostural**  
mobiliér pour la santé.

Avenida Enrique Gimeno, nº 27,  
C.P. 12006, Castellón (España)

Tel (34) 964 503 021

Fax (34) 964 503 410

[www.ecopostural.com](http://www.ecopostural.com)

[info@ecopostural.com](mailto:info@ecopostural.com)

EXCLUSIVE AGENT

  
**Cure Group**  
Paving Customer Care  
[www.curegroup.net](http://www.curegroup.net)